



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/003,204 | 12/06/2001 | Mike Fard | 01440119AA | 4973 |

7590

12/23/2003

McGuire Woods, LLP
Suite 1800
1750 Tysons Boulevard
McLean, VA 22102-4215

EXAMINER

KIDWELL, MICHELE M

ART UNIT

PAPER NUMBER

3761

DATE MAILED: 12/23/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/003,204

Applicant(s)

FARD ET AL.

Examiner

Michele Kidwell

Art Unit

3761

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1, 2 and 8-10 is/are rejected.
- 7) ☒ Claim(s) 3-7 and 11-21 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). ____
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 5. 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

Claim 19 is objected to because of the following informalities: the claim recites a plug, but there is no antecedent basis for this term in the claim. Appropriate correction is required.

Response to Amendment

The amendment filed December 4, 2002 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: the applicant has amended claim 1 to recite that the diameter of the vent hole is between 0.003 and 0.02. This diameter is not supported by the originally filed disclosure

Applicant is required to cancel the new matter in the reply to this Office Action.

Specification

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: the specification does not provide proper antecedent basis for a vent hole with a diameter of approximately between 0.003 and 0.02 inches.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 – 2 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Klein (US 5,817,050).

With reference to claim 1, Klein discloses a cannula system comprising a tube having a bore extending the length thereof (12) an assembly connecting to a proximal end of the tube (24), an aspirator tip having openings positioned at another end of the tube remote from the assembly (two of apertures 14) and an opening acting as a vent hole positioned along the length of the tube (the opening to the left of reference character 12 in figure 3) away from the assembly, the vent hole having a diameter of approximately between 0.003 and 0.02 inches as set forth in col. 3, lines 30 – 32 and in figure 3.

As to claim 2, Klein discloses the opening being positioned at substantially a center of the tube as set forth in figure 3.

With reference to claim 10, Klein discloses a hub assembly adapted for use with a reciprocating cannula system and a handle adapted for use with a manual cannula system as set forth in col. 3, lines 22 – 27.

Art Unit: 3761

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 8 – 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Klein (US 5,817,050).

The difference between Klein and claims 8 – 9 is the provision that the opening maximizes a mass flow rate of material having a specific density. The examiner contends that the cannula of Klein is used suction adipose tissue, which has the claimed density and the opening of Klein falls within the ranged as claimed by the applicant and therefore it can be reasonably assumed that the invention of Klein will meet the claimed limitations.

Allowable Subject Matter

Claims 3 – 7 and 11 – 21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michele Kidwell whose telephone number is 703-305-2941. The examiner can normally be reached on Monday - Friday, 7:30am - 4:00pm.

Art Unit: 3761

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on 703-308-1957. The fax phone number for the organization where this application or proceeding is assigned is 703-305-3590.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.


Michele Kidwell
December 13, 2003


WEILUN LO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700